

# CEFANOME

## INJECTION

For Veterinary Use Only

### COMPOSITION:

Each ml contains:  
Cefquinome Sulphate equivalent to  
Cefquinome 25mg

### INDICATIONS:

For the treatment of bacterial infections of respiratory system, foot infection, mastitis in cattle caused by the gram positive and gram-negative microorganism sensitive to Cefquinome. It is also effective in *E. coli* infections in calves.

### PHARMACOLOGICAL PROPERTIES

Cefquinome sulfate is an antibiotic that belongs to the group of cephalosporin of IV generation. It inhibits the synthesis of the microbial cell wall. Bactericidal against gram-positive and gram-negative microorganisms (*E. coli*, *Citrobacter* spp., *Klebsiella* spp., *Proteus* spp., *Salmonella* spp., *Bacillus* spp., *Corynebacterium* spp., *Staphylococcus* spp., *Streptococcus* spp., *Bacteroides* spp., *Clostridium* spp., *Fusobacterium* spp., *Prevotella* spp., *Actinobacillus* spp., *Pasteurella multocida*, *Mannheimia haemolytica*, *Serratia marcescens*, *Haemophilus somnus*, *Arcanobacterium pyogenicum*, and *Erysipelotrix rhusiopathiae*).

### DOSAGE & ADMINISTRATION:

**Cattle / Buffalo:** 2ml per 50kg bodyweight intramuscularly for 3 to 5 days.

**Calves:** 4ml per 50kg bodyweight intramuscularly for 3 to 5 days.

**Horse:** 2ml per 50kg body weight intramuscularly for 3 to 5 days.

### CONTRA-INDICATIONS:

Do not use in animals, which are known to be hypersensitive to  $\beta$ -lactam antibiotics.

Do not administer to animals less than 1.25 kg body weight.

Do not use in poultry (including eggs) due to risk of spread of antimicrobial resistance to humans.

### WITHDRAWAL TIME:

Meat: 5 days.

Milk: 1 day.


### PRECAUTIONS:

Consult the veterinarian before use.

Keep out of the reach of children.

Store between 15-25°C in a cool and dry place.

### Selmore's Specs.



Manufactured by:  
Selmore Pharmaceuticals (Pvt) Ltd.  
36 Km Multan Road, Lahore, Pakistan.

