

# CEFTISEL

INTRAMAMMARY SUSPENSION  
(FOR DRY COW)

For Veterinary Use Only

#### **COMPOSITION:**

Each 8ml syringe contains:  
Ceftiofur as hydrochloride.....500mg

Do not use in poultry (including eggs) due to risk of spread of antimicrobial resistance to humans.

#### **PHARMACEUTICAL FORM**

Suspension for injection.

#### **PRECAUTIONS:**

This is disposable syringe; it cannot be re used.

Do not use in animals' hypersensitivity to active ingredient.

Consult the veterinarian before use.

Keep out of the reach of children.

Store between 15-25 degree centigrade in a cool and dry place.

#### **INDICATIONS:**

Ceftisel Intramammary suspension (For dry cow) is used for treatment of clinical and diagnosed subclinical mastitis in dairy cow at the time of dry off.

#### **DOSAGE:**

Disinfect the affected quarter with alcohol pad and infuse one syringe to each quarter at the time of dry off and gently massage each quarter.

#### **WITHDRAWAL TIME:**

Meat: 16 Days

#### **ADMINISTRATION:**

Wash teats thoroughly with warm water containing a suitable dairy antiseptic. Dry teats thoroughly. Milk out udder completely. Twist off the outer cap with your thumb and forefinger, insert the exposed full cannula gently into the teat and push the syringe plunger continuously until the infusion is injected.


#### **Innovator's Specs.**

#### **Contraindications**

Do not administer to an animal previously found to be hypersensitive to Ceftiofur and other  $\beta$ -lactam antibiotics or to any of the excipients.

Do not use in case of known resistance to the active substance or to other beta-lactam antibiotics.

Do not inject intravenously.



 **Selmore**  
Pharmaceuticals (Pvt) Ltd.

Manufactured by:  
Selmore Pharmaceuticals (Pvt) Ltd.  
36 Km Multan Road, Lahore, Pakistan.

